



DIRECTORATE OF TECHNICAL EDUCATION AND TRAINING, ODISHA, CUTTACK

At-Killamaidan, PO-Buxibazar, Cuttack-753001

Tel:0671-2301061

E-mail: dtetorissa@gmail.com

DTET-PROC-ET-0011-2026

Notification No.

2466

Dated: 18.2.2026

“EMD and Technical Bid Corrigendum”

Name of Work: Request for Proposal for establishment of CoE in Advanced Mechatronics at Govt. ITI Balugaon.

e-Tender ID: 2026_DTET_124529_1

NIT No. DTET/2025-26/426/04; Dated: 12.01.2026

Except the following amendments, all original RFP terms, conditions and criteria remain unchanged.

SL No.	Reference Page or Section	Existing Clause	Modified Clause
1	Section VI: Annexures Annexure I: Bid Submission Checklist Page 104	EMD 2% of the quoted price	Rs.10,00,000/- (Rupees Eighty Six Lakhs only) Bank Guarantee format for EMD submission attached in Annexure-1.
2	Section 4.3 ‘Terms of Joint Venture/ Consortium’	Joint Venture/ Consortium details:	1. OEM or Other Channel/Authorised Partner may be the Lead Bidder. 2. Maximum 3 partners are allowed (including Lead Bidder). 3. Minimum Participation Share for the partners may be revised as follows. i. Lead Member (minimum participation share – 50%) ii. Second Member (minimum participation share – 20%) iii. Third Member (minimum participation share – 20%)
3	Technical Specifications of the equipment from RFP document	As per published RFP document	1. Equipment wise changes in technical specifications may be revised as per the ‘Minutes of the Pre-Bid Meeting’ published along with this ‘Corrigendum Notice’. 2. Equivalent or higher technical specifications are accepted for all the equipment mentioned in the tender.
4	FACT SHEET	Due date for submission of proposals	Due date for submission of proposals is hereby extended till 07.03.2026 by 05:00PM

(Tender Inviting Authority)

Sri. S.K. Patra

Joint Director (Procurement)
DTE&T, Odisha, Cuttack

ANNEXURE-1: Bank Guarantee Format for Earnest Money Deposit (EMD)

To,
Director of Technical Education and Training, Odisha
Killa Maidan, Buxi Bazaar, Cuttack- 753001
Phone No-0671 (2301061),
Email: dtetorissa@gmail.com

Whereas << name of the bidder >> (hereinafter called "the Bidder") has submitted the bid for submission of RFP # <<RFP Number>> dated <<insert date>> for <<name of the assignment>> (herein called "the Bid") to DTE&T Odisha

KNOW ALL MEN by these presents that we, <<name of the issuing bank>> having our office at <<Address>> (herein called "the Bank") are bound unto(herein called the "Purchaser") in the sum of Rs.....<<amount in figures>> (Rupees <<Amount in words>> only) for which payment well and truly to be made to the said Purchaser, the Bank binds itself, its successors and assigns by these presents.

Sealed with the Common seal of the said Bank.....day of.....20....<<insert date>>

The conditions of the obligation are:

1. If the Bidder withdraws or amends, impairs or derogates from the Bid in any respect within the period of validity of this tender; or
2. If the Bidder, having been notified of the acceptance of its bid by the Purchaser during the period of validity of bid: -
 - a. Withdraws his participation from the bid during the period of validity of bid documents; or
 - b. Fails or refuses to participate for failure to respond in the subsequent Tender process after having been short listed;
 - c. If the Bidder fails to furnish the Performance Security for the due performance of the contract.
 - d. Fails or refuses to accept/execute the contract.

We undertake to pay the Purchaser up to the above amount upon receipt of its first written demand, without the Purchaser having to substantiate its demand, provided that in its demand the Purchaser will note that the amount claimed by it is due to it owing to the occurrence of one or both the two conditions, specifying the occurred condition or conditions.

This guarantee will remain in force upto and including 45 days after the period of Bid validity and any demand in respect thereof should reach the Bank not later than the above date.

Our.....branch at.....*(Name & Address of the.....*branch) is liable to pay the guaranteed amount depending on the filing of claim and any part thereof under this Bank Guarantee only and only if you serve upon us at our.....* branch on or before Dt.....Otherwise bank shall be discharged of all liabilities under this guarantee thereafter.

NOTWITHSTANDING ANYTHING CONTAINED HEREIN:

1. Our liability under this Bank Guarantee shall not exceed Rs. <<Amount in figure>> (Rupees <<Amount in words>> only)
2. This Bank Guarantee shall be valid upto <<insert date>>
3. It is condition of our liability for payment of the guaranteed amount or any part thereof arising under this Bank Guarantee that we receive a valid written claim or demand for payment under this Bank Guarantee on or before <<insert date>> failing which our liability under the guarantee will automatically cease.

.....
Signature of the authorized officer of the Bank)

.....
.....
Name and designation of the officer

.....
Seal, name & address of the Bank and address of the Branch

**Consolidated Pre-Bid Queries and reply/remarks from DTE&T Odisha against NIT No.
DTET/2025-26/426/04 (CoE in Advanced Mechatronics at Govt. ITI Balugaon)**

M/s CREATIVE LABS.					
SL No.	Section & Page No.	Content of RFP requiring Clarification(s)	Points of clarification	Remarks from Bidder	Reply/Remarks from DTE&T Odisha
1	Fact Sheet	EMD Rs.10 Lakh	1. All of these tenders have low budget values and high average turnover requirements. It should be clarified which guidelines were followed. 2. In all these tenders, a single purchase order has been demanded for a very high amount a how can a MSME scale company have such a huge amount of purchase order. 3. Due to mention abnormal terms & conditions, maximum OEM/MSME firms cannot participate in your above mentioned tenders. You are, therefore, requested to remove the terms & conditions of financial capacity& past experience so that maximum OEM firms may participate in your tender and fair competition may be done. 4. In this tender you have giving EMD exemption only MSME registered with Odisha state but you have not mention about in NSIC Registered Company. Whereas NSIC registered company for Eligible for EMD exemption.		Exemption shall be given to the local MSMEs and Startups as per the Government of Odisha MSME guidelines. MSME Department Notification No.566/MSME dated 24.01.2024)
2		Turnover Average annual turnover of Rs. 22.00 Crore over the last three financial years i.e.2022-23,2023-24&2024-25			
3		Past Experience Single past order of Rs.10crore Or Two past orders of Rs. 05 Crore			

M/s Sciencetech Technologies Pvt. Ltd.

SL No.	Section & Page No.	Content of RFP requiring Clarification(s)	Points of clarification	Remarks from Bidder
4	Page No. 11	Page No. 12 Past Experience Sr. No. 7.1 The Bidder should have single work order involving supply of equipment/machineries of same sector with minimum order value of Rs.10.00 Crore or above,	We request you to please make it as under: Single PO for value Rs 10 Cr Two POs for value Rs 7.5 Cr/ each Three POs for value Rs 5 Cr / each Four POs for value Rs 2.5 Cr/each.	No Change

M/s Janatics India Pvt. Ltd.

SL No.	Section & Page No.	Content of RFP requiring Clarification(s)	Points of clarification	Remarks from Bidder	Reply/Remarks from DTE&T Odisha
5	4.1 Pre-Qualification/Eligibility Criteria: 7. Past experience 7.1 Setting up of COEs Page no. 12 of 101		i. Setting-up at least 02 (Two) Centre of Excellences (CoEs) in same sector or execution of two work order involving supply of equipment/machineries of same sector with minimum order value of Rs.10.00 Crore or above each,	Does the Value of COE should be of such high value, or can it be COE in the same sector with lesser value.	No Change
6	7. Past experience 7.2. Training & Placement Page no. 12 of 109		The bidder must have experience of providing training to the minimum 100 trainees/students in last 03 years in similar sector and must achieved minimum 50% placements for 100 trainees trained and certified in last 03 years.	We hire from institution where we have signed MOU with them 10 years back also. We also hire from some institutions where we have supplied our equipments, but don't have MOU. Some institutions are not willing to give it on their letter pad about their placements details. Can we submit a self-declaration with the candidates name, college details, year of passing, job role etc. to satisfy this condition. Can we also get into a consortium with whom we jointly work for training and placement.	Self-declaration on letter head with proof of placement i.e. copies of offer letters or salary slips etc. must be submitted.
7	11. Consortium/Joint Venture Page no. 12 of 109		Consortium /Joint Venture may be allowed but with a condition that OEM should be the lead partner and will be responsible for execution of contract. Sub-Contracting will not be allowed.	Can the consortium agreement be on a normal paper with both the parties signed and sealed. Or should it be on a stamp paper.	It must be done on Non-Judicial Stamp Paper in accordance with law only.
9	Joint Venture/Consortium must comply the following requirements: Point no. XV. Page no. 16 of 109		JV /Consortium agreement shall be registered in accordance with law so as to be legally valid and binding on the members before making any payment. Note: If the work is awarded to a JV /Consortium firm, they will register the JV /Consortium agreement under Registration Act in accordance with law	Also if the Lead partner in the consortium is the OEM, then OEM will only be sole responsible for the execution? in which case Would it still be required to register the Consortium?	Responsibilities or scope of work must be clearly define in 'Consortium Agreement' as per 'Annexure-I' attached in 'TECH-7' of RFP document, for reference.
10	Joint Venture/Consortium must comply the following requirements: Point no. XV. Page no. 16 of 109		JV/Consortium shall open a bank account in the name of JV/Consortium and all payments due to the JV/Consortium shall be credited by purchaser to that account	Can the payment be given to the lead partner and from them it can be distributed to the other partners in the consortium?	Please refer Point No. XV of Section 4.3 of the RFP document (Page No.16).

		only. To facilitate statutory deductions all statutory documents like PAN, GST registration etc. shall be submitted by JV/Consortium at the time of execution of Agreement.		
11	7. Evaluation of Proposals Selection of Bidder i. The bidders are expected to provide following details along with their technical bids. Page no. 22 of 101	i. Human Resource Deployment Plan/ CV of proposed trainers	Since we don't have a Stipulated timeline of closure of the contract, we would request to allow us to submit only the plan, since the CV might change	CV of proposed trainers are to be submitted before commencement of training. But, relevant experience, educational qualification criteria etc. must be approved by DTE&T Odisha before their deployment.
12	11. Duration of Contract and other timelines:Page no. 24 of 101	Supply of equipment/machines: 4 months from the date of signing the Contract.	Since the quantity is high, request a extension of about 6 months.	No Change
13	V Comprehensive Warranty (60 Months) Clause: Point no. ix. Page no. 36 of 101	Replacement of parts must be completed by 15days from the complaint Registered to supplier	We request to add a clause in this stating, the days can be increased as per supplier request with proper justification. Because some of these equipments supplied will be high end in technology. Sometimes identification of the issue might also take time and many electronics items will take time to be replaced. Since stocking of those items are not advisable for warranty issues.	No Change
14	1.6. Vertical workbench with double draw unit	In Page 37 of 109 Requested Qty is 2	The trainer kit required is 5 each of Pneumatic and 5 each of Electro-Pneumatic. The workbench requested is double sided. A workbench can accommodate only 2 trainer kits. Hence to accommodate 10 kits, we need 5 workbenches. Either amend the qty of workbench or the trainer kit	Qty. of Vertical workbench with double draw unit are revised as 5 Sets
15	1.6. Compressor - 30L	In Page 37 of 109 Requested Qty is 2	But based on the no. of trainer kits and the compressor rating requested, The quantity of the compressor should be 5 in order to provide the required input to the trainer kit	Qty. of Compressor - 30L are revised as 5 Nos.




16	1.8. Animated software to teach different Pneumatic components	In Page 37 of 109 Requested Qty of users is for 1 In page no. 44 of 109 requested Qty of users is 10	Need the correct quantity	Qty. of Animated software is revised as 10 Users
17	2.6. Vertical workbench with Single draw unit	In Page 37 of 109 Requested Qty is 2	The trainer kit required is 5 each of Hydraulic and 5 each of Electro-Hydraulic. The workbench requested is double sided. A workbench can accommodate only 2 trainer kits. Hence to accommodate 10 kits, we need 5 workbenches. Either amend the qty of workbench or the trainer kit	Qty. of Vertical workbench with Single draw unit are revised as 5 Sets
18	2.3. 40L Hydraulic Power Pack with Oil	In Page 37 of 109 Requested Qty is 5	The workbench requested is only 2, either it should be 5 or the power pack should be 2 qty. But based on the trainer kit qty seems like the power pack is correct.	Qty. of 40L Hydraulic Power Pack with Oil are revised as 5 Nos.
19	3.1. Sensor Trainer kit 4. Inductive Analog sensor Page no. 51 of 109	Sensing Range 1 to 5m (Non flush)	For this type of sensors, it will not be in 'm' (Metre). It should be in 'mm'. Request for change	It is revised as 'mm'
20	5.1.MECHATRONICS DO-IT-YOURSELF (DIY) KIT B. PLC Programming software and cable Page 61 of 101	1. PLC programming cable for connecting to PC - 10 Nos. 2. Relevant PLC Programming software applicable to the PLC hardware - 10 Users	Since it is for connecting the PLC for programming, 1 license is enough, Since there are only 1 PLC requested in the trainer kit	Qty. is revised as below PLC programming cable for connecting to PC – 10 Nos. PLC Programming software 10 Users
21	F. HORIZONTAL WORKBENCH Page 62 of 101	Minimum duty cycle of 60%	Not applicable for Workbench	It will be rectified and it is for Compressor but not for Horizontal Workbench
22	7. Digital learning solution 7.1. VR Based application for building automation	In Page 37 of 109 Requested no. of users is for 10 In page no. 80 of 109 requested no. of users is 1	Need the correct quantity. If it is of 10 Qty then whether 10 headsets should also be given. Or can we give 1 headset and 10 license of software alone	Please find the correct Qty. Software – 10 Users Headset – 2 Nos.
23	9. Software IOT Development Software Page no. 83 of 109	10 Users with perpetual license	IOT is a cloud based application, which is available only in subscription Model. Perpetual license will not be available. Hence request you to change it to Subscription Model	IOT is be treated as 'Deleted'
24	Page no. 37 of 109	Total nos. of computers requested is 10 nos.	Can the same be used if required in the kits for programming, or can we include additional computers in it. Since it is tender, it is better to mention	Total Desktop Qty. are revised as 11 nos.

			about it in the tender specification as well so that commonly all will quote. For below items PC's Requested. 3.2. Smart Sensor Trainer kit - 1 Qty per set is required 5. PLC and HMI - 1 no. 6.1 Mechatronics Do it yourself Kit - 1 no 6.2. Modular automated system – 7 Station - 1 no. 6.3. Automated manufacturing system integrated with Industry 4.0 technologies. Like IOT, Augmented Reality - 1 no.	
25	4. Motor And Drive Trainer kit Page 57 of 109	The specification in the tender seems to contain only the drive and motor but looking as an application we should add a kit. In the tender Ref. No: NIT No. DTET/2025-26/426/02 there is a linear axis unit, which can also be added here one.	Kindly amend the technical specification and include the below list of items LINEAR AXIS UNIT - 1nos Work Bench - 4nos	It is added in the specification. LINEAR AXIS UNIT - 1nos Work Bench - 4nos

M/s FESTO INDIA PVT LTD

SL No.	Section & Page No.	Content of RFP requiring Clarification(s)	Points of clarification	Remarks from Bidder	Reply/Remarks from DTE&T Odisha
26	6. List of equipment/ Page No. 37	1.4 Cut sections – Pneumatics – 2 sets	As per the current trend toward digital learning, cut sections are no longer used to view the construction of pneumatic components; instead, component animations through pneumatic simulation software are used. Hence, request to remove the cut sections or reduce the quantity to 1 set.		No Change
27	6. List of equipment/ Page No. 37	1.6. Vertical workbench with double draw unit – 2 sets	As per the tender enquiry, 5 sets each of Pneumatic and Electro-Pneumatic Trainer Kits are specified, and the BOM indicates standalone kits. To accommodate 5+5 kits, a minimum of 5 sets of double-sided workbenches is required. Hence, request to increase the workbench quantity to 5 sets or reduce the Pneumatic and Electro-Pneumatic Trainer Kits to 2 sets each.		Please refer query sl no. 14
28	6. List of equipment/ Page No. 37	1.7. Compressor – 30L – 2 Nos.	As explained above, each workbench requires a separate compressor. Hence, request to increase the workbench quantity to 5 sets or reduce the Pneumatic and Electro-Pneumatic Trainer Kits to 2 sets each.		Please refer query sl no. 15
29	6. List of equipment/ Page No. 37	2.3 Cut sections – Hydraulics – 2 sets	As per the current trend toward digital learning, cut sections are no longer used to view the construction of hydraulics components; instead, component animations through hydraulic simulation software are used. Hence, request to remove the cut sections or reduce the quantity to 1 set.		No Change



30	6. List of equipment/ Page No. 37	2.6. Vertical workbench with single draw unit – 2 sets	As per the tender enquiry, 5 sets each of Hydraulic and Electro-Hydraulic Trainer Kits are specified, and the BOM indicates standalone kits. To accommodate 5+5 kits, a minimum of 5 sets of double-sided workbenches is required. Hence, request to increase the workbench quantity to 5 sets with double draws or reduce the Hydraulic and Electro-Hydraulic Trainer Kits to 2 sets each.	Please refer query sl no. 17
31	Technical Specifications/ 1.1. PNEUMATIC TRAINER KIT/ Page No. 39 Cylinderboresize 25-32 mm Dia		Request to change the cylinder bore size to 20–30 mm Dia, as larger bore sizes are heavier and difficult for students to handle during training.	No Change
32	Technical Specifications/ 1.2. ELECTRO PNEUMATIC TRAINER KIT/ Page No. 40 Cylinderboresize 25-32 mm Dia			No Change
33	Technical Specifications/ 2.1. HYDRAULIC TRAINER KIT/ Page No. 45		Cylinder Dia 32 – 40 mm 7Piston Dia 12 – 15 mm Request to change the cylinder bore size to 10–30 mm Dia, as larger bore sizes are heavier and difficult for students to handle during training.	No Change
34	Technical Specifications/ 2.2. ELECTRO HYDRAULIC TRAINER KIT/ Page No. 47		Cylinder Dia 32 – 40 mm Piston Dia 12 – 15 mm Request to change the cylinder bore size to 10–30 mm Dia, as larger bore sizes are heavier and difficult for students to handle during training.	No Change
35	Technical Specifications/ 6. MECHATRONICS AND AUTOMATION / Page No. 59-80	All the specifications of 6. MECHATRONICS AND AUTOMATION	The complete specifications based on one specific company. We request for neutrality and acceptance of different players in the consideration of the Modular Stations. Every company will have a slight variation in the offering and by having a specification offering based with the details from only one organization will not be fair to different parties. We request for considering the focus on the process and the number of Stations, with some consideration on equipment for long term. Also the stations mentioned in the tender are with a design which is more than 12 years old and the manufacturing on the shop floor has changed now. We need your support to solicitate appropriate changes.	Bidders must supply latest one
36	Technical Specifications/ 8. SOFTWARE / Page No. 81-83	6. SOFTWARE	Specifications are related to one specific Make. Equivalent software has to be acceptable.	Simulation Software for Multi Technologies or equivalent or better.



M/s Sai Sree Infra Developers

37	Page No. 11, 4.1 Pre-Qualification Criteria; 1. Legal entity:	The Bidder must be registered as either of the following: a. Company under Companies Act, 1956/2013 or b. Partnership Firm registered under the Indian Partnership Act, 1932 or c. Joint Ventures (JV)/Consortium* or d. Limited Liability Partnership registered under The Limited Liability Partnership Act, 2008 registered	Our firm is a Proprietorship concern. We request you to kindly clarify and consider the eligibility of proprietorship firms to participate in the above tenders.	No Change
38	Page No. 12, 4.1 Pre-Qualification Criteria 7. Past Experience 7.1 Setting-up CoEs	The bidder, during last 03 (Three) financial years must have the experience in i. Setting-up at least 01 (One) Centre of Excellence (CoE) in same sector or execution of single work order involving supply of equipment / machineries of same sector with minimum order value of Rs.10.00 Crore or above, Or ii. Setting-up at least 02 (Two) Centre of Excellences (CoEs) in same sector or execution of two work orders involving supply of equipment / machineries of same sector with minimum order value of Rs.5.00 Crore or above each, at any Government or Private organization/ Government or Private educational institute/ Government or Private training institute/ any Industry.	We respectfully request you to kindly consider and allow the past experience gained during the last seven (7) years for evaluation	No Change



Director
DTE&T Odisha, Cuttack